

Table 20. Reported cases of HIV infection (not AIDS) for male adults and adolescents, by transmission category and race/ethnicity, 2005 and cumulative—38 states and U.S. dependent areas with confidential name-based HIV infection reporting

Transmission category	2005		Cumulative ^a	
	No.	%	No.	%
White, not Hispanic				
Male-to-male sexual contact	6,261	68	45,696	67
Injection drug use	540	6	4,954	7
Male-to-male sexual contact and injection drug use	433	5	4,595	7
Hemophilia/coagulation disorder	21	0	343	1
High-risk heterosexual contact ^b	275	3	2,258	3
Sex with injection drug user	53	1	501	1
Sex with person with hemophilia	0	0	7	0
Sex with HIV-infected transfusion recipient	2	0	32	0
Sex with HIV-infected person, risk factor not specified	220	2	1,718	3
Receipt of blood transfusion, blood components, or tissue	6	0	194	0
Other/risk factor not reported or identified	1,681	18	10,336	15
Total	9,217	100	68,376	100
Black, not Hispanic				
Male-to-male sexual contact	4,020	40	25,186	35
Injection drug use	915	9	10,869	15
Male-to-male sexual contact and injection drug use	272	3	3,093	4
Hemophilia/coagulation disorder	5	0	104	0
High-risk heterosexual contact ^b	1,095	11	9,677	13
Sex with injection drug user	105	1	1,454	2
Sex with person with hemophilia	2	0	13	0
Sex with HIV-infected transfusion recipient	5	0	78	0
Sex with HIV-infected person, risk factor not specified	983	10	8,132	11
Receipt of blood transfusion, blood components, or tissue	18	0	207	0
Other/risk factor not reported or identified	3,667	37	22,720	32
Total	9,992	100	71,856	100
Hispanic				
Male-to-male sexual contact	2,201	44	12,063	44
Injection drug use	1,126	22	5,634	21
Male-to-male sexual contact and injection drug use	155	3	1,096	4
Hemophilia/coagulation disorder	3	0	24	0
High-risk heterosexual contact ^b	485	10	2,520	9
Sex with injection drug user	64	1	413	2
Sex with person with hemophilia	0	0	6	0
Sex with HIV-infected transfusion recipient	2	0	14	0
Sex with HIV-infected person, risk factor not specified	419	8	2,087	8
Receipt of blood transfusion, blood components, or tissue	6	0	48	0
Other/risk factor not reported or identified	1,079	21	6,073	22
Total	5,055	100	27,458	100

Table 20. Reported cases of HIV infection (not AIDS) for male adults and adolescents, by transmission category and race/ethnicity, 2005 and cumulative—38 states and U.S. dependent areas with confidential name-based HIV infection reporting (cont)

Transmission category	2005		Cumulative ^a	
	No.	%	No.	%
Asian/Pacific Islander				
Male-to-male sexual contact	128	56	651	57
Injection drug use	5	2	45	4
Male-to-male sexual contact and injection drug use	6	3	26	2
Hemophilia/coagulation disorder	0	0	1	0
High-risk heterosexual contact ^b	18	8	77	7
Sex with injection drug user	1	0	9	1
Sex with person with hemophilia	0	0	0	0
Sex with HIV-infected transfusion recipient	1	0	3	0
Sex with HIV-infected person, risk factor not specified	16	7	65	6
Receipt of blood transfusion, blood components, or tissue	0	0	4	0
Other/risk factor not reported or identified	72	31	333	29
Total	229	100	1,137	100
American Indian/Alaska Native				
Male-to-male sexual contact	59	64	446	56
Injection drug use	10	11	91	11
Male-to-male sexual contact and injection drug use	6	7	98	12
Hemophilia/coagulation disorder	0	0	0	0
High-risk heterosexual contact ^b	5	5	49	6
Sex with injection drug user	1	1	13	2
Sex with person with hemophilia	0	0	0	0
Sex with HIV-infected transfusion recipient	0	0	0	0
Sex with HIV-infected person, risk factor not specified	4	4	36	5
Receipt of blood transfusion, blood components, or tissue	0	0	2	0
Other/risk factor not reported or identified	12	13	113	14
Total	92	100	799	100
Total cases				
Male-to-male sexual contact	12,730	51	84,500	49
Injection drug use	2,611	11	21,718	13
Male-to-male sexual contact and injection drug use	876	4	8,964	5
Hemophilia/coagulation disorder	29	0	476	0
High-risk heterosexual contact ^b	1,895	8	14,680	9
Sex with injection drug user	228	1	2,408	1
Sex with person with hemophilia	2	0	26	0
Sex with HIV-infected transfusion recipient	10	0	127	0
Sex with HIV-infected person, risk factor not specified	1,655	7	12,119	7
Receipt of blood transfusion, blood components, or tissue	30	0	461	0
Other/risk factor not reported or identified	6,560	27	40,370	24
Total	24,731^c	100	171,169^d	100

Note. See Table 16 for list of 38 states and U.S. dependent areas with confidential name-based HIV infection reporting as of December 2005.

^a From the beginning of the epidemic through December 2005.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes 146 males of unknown race or multiple races.

^d Includes 1,543 males of unknown race or multiple races.